



PLANNING & DEVELOPMENT SERVICES DEPARTMENT
201 N STONE AV
PO BOX 27210, TUCSON AZ 85726-7210
(520) 791-5550

**PETITION OF APPEAL
TO THE BUILDING OFFICIAL**

ACTIVITY #

** This is a legal document that **MUST** be detailed, accurate and complete. Supporting data may be attached and submitted if needed. **

PROJECT NAME	PROJECT ADDRESS	DATE				
OWNER'S NAME	OWNER'S ADDRESS	PHONE				
TENANT'S NAME	TENANT'S ADDRESS	PHONE				
APPELLANT'S NAME	APPELLANT'S ADDRESS	PHONE				
APPELLANT'S RELATIONSHIP TO PROJECT						
<p>Appeal is hereby made to the Building Official for an alternate method/material, or interpretation of, <u>Section 608.5 and 508.5 of the Uniform Plumbing Code</u> as adopted by the City of Tucson.</p> <p>Water Heater temperature and pressure relief valve (tprv) discharge line is to be extended at a downward angle to the exterior of the building. Discharge from a relief valve into a water heater pan is prohibited.</p>						
<p>Explanation of why conformance with the above requirement on the project presents an unusual problem. (Use attachment if necessary)</p> <p>Existing water heater is located in an interior closet and away from exterior walls. There is no ready access to the outside without either trenching the floor or relocating the water heater.</p>						
<p>State specifically what is proposed in lieu of literal compliance:</p> <p>A tprv discharge line shall be run to a metal drip pan located under the water heater.</p> <p>Owner accepts and understands that if the water heater or tprv malfunction extensive water damage could result.</p>						
<div>_____ Owners signature if appellant is other than owner</div> <div>_____ Appellant</div> <div>_____ Title</div>						
<table border="1"><tr><td>DECISION OF THE INSPECTOR</td><td>STIPULATIONS</td></tr><tr><td><input type="checkbox"/> APPROVED <input type="checkbox"/> APPROVED W/STIPULATIONS <input type="checkbox"/> DENIED</td><td></td></tr></table>			DECISION OF THE INSPECTOR	STIPULATIONS	<input type="checkbox"/> APPROVED <input type="checkbox"/> APPROVED W/STIPULATIONS <input type="checkbox"/> DENIED	
DECISION OF THE INSPECTOR	STIPULATIONS					
<input type="checkbox"/> APPROVED <input type="checkbox"/> APPROVED W/STIPULATIONS <input type="checkbox"/> DENIED						
DATE	DIRECTOR'S SIGNATURE					

Water Heater Petition of Appeal for alternate termination of TPRV -

Appeal made to the Building Official specifically for an alternate method relating to Section 608.5 and 508.5 of the Uniform Plumbing Code as adopted by the Tucson of Tucson.

- 1. APPEAL FORM WITH STANDARD LANGUAGE ALREADY PROVIDED MUST BE FILLED OUT IN ITS ENTIRETY.**
- 2. FORM WILL NOT BE CONSIDERED PROCESSED AND APPROVED WITHOUT THE SIGNATURE OF THE BUILDING INSPECTOR OR THEIR DEPARTMENT REPRESENTATIVE.**
- 3. WE HAVE PROVIDED SEVERAL WAYS FOR YOU TO SUBMIT YOUR FORM**

**201 N STONE AVE, 1st FLOOR PLANNING AND DEVELOPMENT SERVICES
BETWEEN THE HOURS OF 8:00 AM AND 4:00 PM M-F.**

**MAILED TO PLANNING AND DEVELOPMENT SERVICES, PO BOX 27210,
TUCSON, AZ 85726-7210. ATTN: PERMIT COUNTER**

FAXED TO (520) 791-4475

**OR THE FORM CAN BE PROVIDED TO YOU BY THE BUILDING INSPECTOR
DURING THE SCHEDULED INSPECTION.**

- 4. THERE IS NO LONGER A FEE FOR A WATER HEATER APPEAL.**